

[Go to Google Home](#) [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

query progress indicator

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 1,530,000 for [query progress indicator](#). (0.34 seconds)

[Microsoft Windows 2000 Scripting Guide - Tracking Dynamic Script ...](#)

Use the ExecQuery method to **query** the Win32_Service class. ... If you are using Internet Explorer as a **progress indicator**, you might want to change the ...

www.microsoft.com/technet/scriptcenter/guide/sas_ent_rkmx.mspx - 18k -

[Cached](#) - [Similar pages](#)

[\[PDF\] Toward a Progress Indicator for Program Compilation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Toward a **Progress Indicator** for Database Queries. SIGMOD Conf. 2004: 791-802. [20] G.

Luo, J.F. Naughton, and P.S. Yu. Multi-**query** SQL **Progress Indicators**. ...

www.cs.wisc.edu/~gangluo/compiler.pdf - [Similar pages](#)

[\[PDF\] Increasing the Accuracy and Coverage of SQL Progress Indicators](#)

File Format: PDF/Adobe Acrobat

The **progress indicator** described in [9] divides a **query**. plan into one or more segments.

... Initially, the **progress indicator** in [9] uses the **query** ...

ieeexplore.ieee.org/iel5/9680/30564/01410198.pdf?arnumber=1410198 - [Similar pages](#)

[Okapi Framework - Log Interface](#)

Sets the mode of the main **progress indicator**. ILog.SetSubProgressMode ... Log an entry in the log or **query** the user's feedback. ILog.Message ...

okapi.sourceforge.net/ILog.html - 23k - [Cached](#) - [Similar pages](#)

[Make a Progress Indicator For Slow-Loading Pages](#)

Make a **Progress Indicator** For Slow-Loading Pages ... code now captures the original URL and passes it on the **query** string to the loading page, Loading. ...

www.aspnetpro.com/NewsletterArticle/2003/08/asp200308bm_/asp200308bm_.asp - 29k -

[Cached](#) - [Similar pages](#)

[Sql query problem determination tool patent invention](#)

... for the database **query** comprising a plurality of **query** plan operators; and executing the **query** execution plan, wherein a **progress indicator** is displayed ...

freshpatents.com/Sql-query-problem-determination-tool-dt20060928ptan20060218125.php

- 19k - [Cached](#) - [Similar pages](#)

[ProgressBar](#)

The **progress indicator** moves from left to right if internal value (modulo maximum) is less than ... **Query** or modify the configuration options of the widget. ...

tcllib.sourceforge.net/BWman/ProgressBar.html - 6k - [Cached](#) - [Similar pages](#)

[\[#SQLQ-11\] Executing a query freezes application - JetBrains JIRA](#)

When I execute a **query**, it hangs Idea completely until the **query** returns. ... The moving **progress indicator** just freezes as does the rest of the interface, ...

www.jetbrains.net/jira/browse/SQLQ-11;

[jsessionid=8EBD8EA703D68271938D097ED0C64EA1?page=all](#) - 25k -

[Cached](#) - [Similar pages](#)

[Adaptive progress indicator - US Patent 6618731](#)

Adaptive **progress indicator** - US Patent 6618731 from Patent Storm. ... for documents retrieved from an information retrieval system in response to a **query** ...

www.patentstorm.us/patents/6618731.html - 16k - [Cached](#) - [Similar pages](#)

Re: Progress Indicator in ASP.NET Works only Once - SoftArtisans ...

I'm running this **progress indicator** for upload in ASP. ... I changed the original **query** string "ProgressId" to my own custom "pid" which the FileUp dlls ...
support.softartisans.com/Forums/ShowPost.aspx?PostID=518 - 75k -
[Cached](#) - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#) [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 19,800 for **tuple spill**. (0.34 seconds)

[\[WIP\] shared row locks](#)

5. Unchanged (to remove a **tuple**, LockBufferForCleanup is needed). Still missing is the ability of Imgr to **spill** to disk. I plan to do this using the slru ...

archives.postgresql.org/pgsql-patches/2005-03/msg00277.php - 14k -

[Cached](#) - [Similar pages](#)

[Re: "Truncated" tuples for tuple hash tables](#)

... harder to measure > the benefit than it is with the can-**spill**-to-disk cases. ... (What's more, as of 8.1 most of those tuples will be in "virtual **tuple**" ...

archives.postgresql.org/pgsql-hackers/2006-06/msg01405.php - 16k -

[Cached](#) - [Similar pages](#)

[Grouping and Aggregation Background Grouping and Aggregation have ...](#)

For **tuple** level structural aggregation a **tuple** buffer will be needed to store the tuples for each group, and **spill** them to disk if needed due to memory ...

www.cs.wisc.edu/~bolo/notes/vignette/group-aggregate.html - 12k - [Cached](#) - [Similar pages](#)

[\[doc\] VLDB 2001 Submission Style Guide for Word](#)

File Format: Microsoft Word - [View as HTML](#)

We say that a **tuple** $r \in G(R)$ is a **spill-over** if a match is not found for r in $G(S)$... **Tuple**

<Intel, 1.5, 30> is a **spill-over** and as such is carried over to ...

www.cs.wisc.edu/~cs719-1/matchingtr2005.doc - [Similar pages](#)

[\[PPT\] Constraint-Exploiting Query Operators](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Plan-Wide State **Spill**: Global Outputs. Poutput: Contribution to Final Query Output. Update Poutput values of partitions in Join3. Apply Split2 to each **tuple** ...

davis.wpi.edu/~dsrg/CAPE/publication/VLDB05-DCAPE-v05.ppt - [Similar pages](#)

[\[PPT\] Query Processing: A Systems Perspective](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Phase 1: for each **tuple** of input, hash via h_c into a "**spill**" partition to be put on disk. B-1 blocks of memory used to hold output buffers for writing a ...

db.cs.berkeley.edu/jmh/talks/MIT-QPprimer.ppt - [Similar pages](#)

[\[PPT\] trigger_daq ppt](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

Offline beam test N-**tuple**. SVAC basic n-**tuple**. +. ancillary data ... event time-stamps within given window for every **spill** (as defined by PS/SPS **spill** ...

www-glast.slac.stanford.edu/IntegrationTest/

SVAC/Instrument_Analysis/testbeam/trigger/trigger_DAQ.ppt - [Similar pages](#)

[\[PS\] Combined Code Motion and Register Allocation using the Value State ...](#)

File Format: Adobe PostScript - [View as Text](#)

4. Tunnel values through memory by introducing store/load **spill** nodes. 5. Merge two γ -nodes a and b into a **tuple**, provided their C ports reference the ...

www.cl.cam.ac.uk/~am21/papers/cc03.ps.gz - [Similar pages](#)

[\[PPT\] SQL Queries](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

As soon as the Aggregate iterator sees a **tuple** from a new group: ... It would be a waste to **spill** it to disk and read it all back! ...

inst.eecs.berkeley.edu/~cs186/fa06/lcs/13.5agg.ppt - [Similar pages](#)

List -> **Tuple**

Try the **tuple** builtin: > > >>> l = [1,2,3] > >>> **tuple(l)** > (1, 2, ... Oil **Spill** Modeling ----- @ -
----- @ ----- @ Water Resources Engineering ...
mail.python.org/pipermail/python-list/2001-October/070234.html - 4k -
Cached - [Similar pages](#)

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

| | |
|--|---------------------------------------|
| <input type="text" value="tuple spill"/> | <input type="button" value="Search"/> |
|--|---------------------------------------|

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google